

State-of-the-art forcefield for condensed phase materials and isolated molecules

Accurate prediction of structural, conformational, vibrational, and thermophysical properties

Applicable to a wide range of materials chemistries and systems including interfaces and mixtures

COMPASS

COMPASS is a powerful forcefield that supports atomistic simulations of condensed phase materials. COMPASS stands for Condensed-phase Optimized Molecular Potentials for Atomistic Simulation Studies. It is the first *ab initio* forcefield that has been parameterized and validated using condensed-phase properties in addition to various *ab initio* and empirical data for molecules in isolation. Consequently, this forcefield enables accurate and simultaneous prediction of structural, conformational, vibrational, and thermophysical properties, that exist for a broad range of molecules in isolation and in condensed phases, and under a wide range of conditions of temperature and pressure.

The latest enhancements to the COMPASS forcefield have concentrated on parameterization of more than 45 inorganic oxide materials and mixed systems, including interfaces of organic and inorganic materials.

COMPASS: Leading-Edge Science

COMPASS development aims to achieve high accuracy in prediction. The goal is to be able to predict properties of molecules, both in isolation and in the condensed phase, with an accuracy comparable with experiment. It is an *ab initio* forcefield because most parameters are initially derived based on *ab initio* data. Following this step, parameters are optimized to yield good agreement with experimental data. In particular, thermophysical data for molecular liquids and crystals are used to refine the nonbond parameters by using molecular dynamics simulations.

Another objective of COMPASS development is to systematically extend the coverage so that it will eventually include most of the common organic and inorganic materials that are of interest to the materials researcher. Currently, the coverage includes the most common organics, inorganic small molecules, polymers, some metal ions, metal oxides, and metals.

All of the parameters in COMPASS are derived in a consistent manner so that, in principle, one can study very different systems including interfaces and mixtures.

References:

1. Sun, H. and Rigby, D., "Polysiloxanes: Ab Initio Forcefield and Structural, Conformational and Thermophysical Properties," *Spectrochimica Acta*, **1997**, A153, 1301–1323.
2. Rigby, D., Sun, H., and Eichinger, B. E., "Computer Simulations of Poly(ethylene oxide): Forcefield, PVT Diagram and Cyclization Behavior," *Polymer International*, **1997**, 44, 311–330.
3. Sun, H., "COMPASS: An Ab Initio Forcefield Optimized for Condensed-Phase Application-Overview with Details on Alkane and Benzene Compounds," *J. Phys. Chem.*, **1998**, B102, 7338–7364.
4. Sun, H., Ren, P., and Fried, J. R., "The COMPASS Forcefield: Parameterization and Validation for Phosphazenes," *Comput. Theor. Polymer Sci.*, **1998**, 8, 229–246.
5. Bunte, S.W. and Sun, H., "Molecular Modeling of Energetic Materials: The Parameterization and Validation of Nitrate Esters in the COMPASS Forcefield," *J. Phys. Chem.*, **2000**, B104, 2477–2489.
6. McQuaid M.J., Sun H., Rigby D., "Development and validation of COMPASS force field parameters for molecules with aliphatic azide chains," *J. Comput. Chem.*, 2004, 25(1), 61–71.



Accelrys Corporate Headquarters
10188 Telesis Court, Suite 100
San Diego, CA 92121-4779, USA
Tel: +1 858 799 5000

Accelrys European Headquarters
334 Cambridge Science Park
Cambridge, CB4 0WN, UK
Tel: +44 1223 228500

Accelrys Asia Headquarters
Nishi-shimbashi TS Bldg 11F
Nishi-shimbashi 3-3-1, Minato-ku,
Tokyo, 105-0003, Japan
Tel: +81 3 3578 3861