

Density functional theory for nanotechnology

Model proteins, nanocatalysts, or amorphous materials fully quantum mechanically

Predict thermodynamics, kinetics, and electronic properties

ONETEP

ONETEP is a revolutionary quantum mechanics-based program designed specifically for calculations on large systems (>500 atoms). It brings the accuracy of density functional theory (DFT) to bear on systems such as protein-ligand complexes, grain boundaries, and nanoclusters—systems that, in the past, could only be treated by less accurate, approximate methods. As part of the comprehensive Materials Studio® software environment, ONETEP can be supplemented with sophisticated modeling and analysis tools that help users attain even further insight into their systems of interest.

Overview

Researchers in chemistry, pharmaceuticals, and materials science may be faced with a number of challenging goals, such as the development of new compounds or the discovery of improved manufacturing processes. As researchers treat more sophisticated problems, such as those in the realm of nanotechnology, they need to employ larger molecular models and perform calculations that provide the accuracy and reliability of quantum mechanical approaches.

In the past, this has presented a conundrum because large models were too computationally expensive to study with first-principles methods. As a result, the limitations of hardware and software forced researchers to make a give-and-take decision—either use an unrealistically small model in order to obtain quantum mechanical results, or keep a realistic model but perform only an approximate calculation.

Today, it is no longer necessary to make such compromises because ONETEP delivers quantum mechanical accuracy for large systems.

ONETEP is a linear scaling method, meaning the time required for a calculation increases linearly with the number of atoms. As a result of this unique scaling, the program can be used to model systems larger than possible in the past.

Typical applications of first-principles quantum mechanics calculations with ONETEP include studies of:

- surface chemistry
- structural properties of large molecular systems
- free energies of protein-ligand complexes
- structure and energetics of nanotubes
- properties of defects (e.g. vacancies, interstitials, substitution impurities, grain boundaries, and dislocations) in semiconductors and ceramic materials

The ONETEP Advantage—Linear Scaling

As illustrated by the example shown in Figure 1, the main advantage of ONETEP is its linear scaling behavior, which means that the time required for calculating the total energy increases linearly with the number of atoms. This linear scaling approach is a vast improvement over conventional DFT methods, where the time needed for computation increases at a rate of as much as N^3 (where N is the total number of atoms).




Figure 1. ONETEP linear scaling behavior for the calculation of the total energy for a polyethylene oxide (PEO) polymer chain. Calculation run on 16 dual-core Opteron 2.8 GHz processors, 1 MB cache, 8 GB per processor.

ONETEP also runs very efficiently on multiprocessor computers, scaling to hundreds of processors. Consequently, with the ONETEP module in Materials Studio, it is feasible to perform DFT calculations on very large systems (even ones with thousands of atoms).

Key Uses of ONETEP

Insulators, Semiconductors, Glass, and Zeolites

ONETEP takes advantage of the localization of electron density and, as a consequence, finds its main application in the simulation of insulators or semiconductors. Amorphous glass surfaces and zeolites that require large unit cells to be properly described are also well-suited for ONETEP.

Catalysis

Another application for ONETEP is in the area of catalysis, where it can be used to study the influence of the support on catalytic activity. To model a support together with an active nanocluster requires hundreds or even thousands of atoms. Therefore, a linear scaling DFT code such as ONETEP is essential if one wants to include quantum mechanical effects in the calculation.

Nanotechnology

ONETEP opens up new possibilities in modeling nanotechnology. It can be used, for example, to study the electronic structure of carbon nanotubes for sensor applications. In particular, it can be applied to the development of biosensors, which are usually composed of a metal nanowire with antibodies attached to it. Those antibodies are selective towards a particular protein. Understanding the reactivity of the proteins requires a quantum mechanical based method, and a linear scaling code is needed due to the sheer size of the system.

Industrial Materials

ONETEP can also provide fundamental insight into

the electronic structure of materials that have important industrial applications. For example, as illustrated by the example of silicon supercells shown in Figure 2, ONETEP can model defects, fracturing and dopants. A better understanding of the properties of those materials can be translated to better performance of the final product. Modeling of this type, together with experiment, has been demonstrated to yield results at a lower cost than from experiments alone.




Figure 2: Highest Occupied Molecular Orbital (right) and Lowest Unoccupied Molecular Orbital (left) of a silicon supercell containing 1000 atoms. The ability to study such large structures is important for modeling defects, fracturing, and dopants at low concentrations.

How Does ONETEP Work?

ONETEP implements DFT using the density matrix formulation. The density matrix is a quantity that is exponentially localized in insulators and its diagonal elements are equal to the electronic charge density. Because the elements of the density matrix are spatially localized, the program performs many fewer calculations compared to a conventional DFT program in which the molecular orbitals are delocalized across the entire molecule.

In ONETEP, the density matrix is expressed in terms of a basis set of localized functions called non-orthogonal generalized Wannier functions (NGWFs). This provides two advantages. First, the number of NGWFs can be easily increased to provide an accurate and complete basis set; second, the NGWFs can be localized extremely well, reducing the computational effort as much as possible. The linear scaling is a direct

consequence of the localization of NGWFs.

What Calculations Can ONETEP Perform?

The ONETEP module in Materials Studio allows the user to perform first-principles quantum mechanical calculations on large systems using DFT. ONETEP can currently perform three different tasks:

- Single-point energy calculation
- Geometry optimization
- Transition-state search

Each of these calculations can be set up so that it generates specified chemical and physical properties; specifically:

- Electron density
- Electrostatic potential
- Mulliken charges
- Mulliken spins
- Bond populations
- Density of states (DOS)
- Molecular orbitals (MOs)

The Materials Studio Advantage—Tools to Complement ONETEP

ONETEP is part of the comprehensive Materials Studio modeling and simulation software environment. Materials Studio provides a user-friendly interface that complies with Windows® standards, which together with a variety of training options, makes it easy for any user to learn the software and apply it with confidence.

On top of this, Materials Studio offers a wealth of modeling and simulation tools that can be used to supplement ONETEP.

For example, Materials Visualizer—the core of Materials Studio—offers a wide range of model building and visualization tools that allow users to construct models of the systems of interest. In particular, researchers in nanotechnology will benefit from the nanotube builder which can create single walled, multi-walled and bundles of nanotubes, as well as the nanocluster builder, which can create spheres, tetrahedra, and other shapes. From Materials Visualizer, users can then easily select ONETEP to run an advanced quantum mechanics calculation.

Materials Studio also offers analysis tools that complement ONETEP. For example, population analysis control allows the user to assign charges, spins, and bond orders derived from a Mulliken analysis to the final structure obtained in a ONETEP calculation, while other tools allow you to display 3D renderings of molecular orbitals.

On top of this, a flexible client-server architecture means that calculations can be run on servers located anywhere on a company's network. Results are returned to a user's PC, where they may be displayed and analyzed. It is easy to produce high quality graphics of molecular and materials structures, as well as molecular orbitals. Structures, graphs and other data, such as video clips, can be instantly exchanged with other PC applications, facilitating sharing among colleagues and analysis in spreadsheets or other packages.

System Requirements:

For Materials Studio system requirements see www.accelrys.com/products/materials-studio/system-requirements.html